: 206/OH-58 SADDLE, OUTBOARD, RIGHT SIDE

Date User: Wednesday, 03/09/2008 10:25:54 AM

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 41716

Estimate Number P.O. Number

This Issue

: 10832 : 03/09/2008

: NC Prsht Rev.

First Issue

: //

: 41440

S.O. No. :

: MACHINED PARTS Type

: D29322 : D2932 REV C - BLUE

Drawing Number

Drawing Name

Part Number

Project Number Drawing Revision

: N/A : C

Material

Due Date

: 26/09/2008

Qty:

4 Um:

Each

Written By

Previous Run

Checked & Approved By

Comment

: Est: B 00.06.26

New DWG rev (mpp 2069) EC

Est Rev:C As per Rev C 07-03-19 JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

D6101003

Saddle Billet, 7075

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

4.0000 Each(s)

7075-T7351 2X6.25X7.875

Issue material from stock: 7075-T7351 (QQ-A-250/12)

Cut Size 2.0 x 6.25 X 7.88 Grain Along Long 7.88 Length

Batch No: 3/273

HAAS1

HAAS CNC VERTICAL MACHINING #1

2.0

Comment: HAAS CNC VERTICAL MACHINING #1

Program part number and batch number.

1-Inspect part number and batch number are programmed correctly.

2-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

3-Machine Step No 2 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

4-Machine Step No 3 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

5-Deburr

CONVENTIONAL MILLING MACHINE



3.0

MILLING CONV.

Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

4.0

QC1

INSPECT ALL DIM TO DIM SHEET



Comment: INSPECT ALL DIM TO DIM SHEET



Dart Aerospace I	Ltd
------------------	-----

	Т								
Ŵ/O:			WO	RK ORDER CHANGI	ES				
DATE	STEP	PRO	Ву	Da	ate Qty	Approval Chief Eng / Prod Mgr	Approval QC inspector		
-:		· · · · · · · · · · · · · · · · · · ·							
Part No	:	PAR #:	Fault Categ	gory:	NCR: Y	es No	DQA:	Date: _	
Resolution:		Disposition: (_ QA: N/C Closed: Date:				
NCR:		,	WORK ORDE	R NON-CONFORMA	NCE (N	CR)			
!		Description of NC	Corrective Action		Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		n & ate	Section C	Chief Eng	QC Inspector
}		7 1						ş	
,									
									1
1									

NOTE: Date & initial all entries

Wednesday, 03/09/2008 10:25:54 AM Date: User:, Julie Lecocq **Process Sheet** Drawing Name: 206/OH-58 SADDLE, OUTBOARD, RIGHT(SIDE Customer: CU-DAR001 Dart Helicopters Services Part Number: D29322 Job Number: 41716 Job Number: Description: Seq. #: Machine Or Operation: SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING RESOURCE #1 HAND FINISHING 6.0 Comment: HAND FINISHING RESOURCE #1 08-08 Acid etch and Alodine as per QSI 005 4.1 7.0 Comment: -PRIME B1067 -SPRAY PAINT DELFLEET BLUE BIOS91 B105917 -CLEAR DELFLEET 8.0 QC14 Comment: INSPECT PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 445 FÍNAL INSPECTION/W/O RELEASE QC21 10.0 Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



N 28.59.25

Dart Aerosp	oace l	_td
--------------------	--------	-----

W/O:		WORK ORDER	WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			•	<u> </u>			0	

Part No: <u>D2932-2</u>	PAR #: Fault Category:	NCR: Yes No DQA:	Date: <u>58/07/0</u>
Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR: 4	1716	W	ORK OR	DER NON-CONFORMANCI	E (NCR)			
		Description of NC		Corrective Action Section B			Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Chief Eng	QC Inspector
		Priner is slightly visible on All the edges on the suddle.		- Scuff and re-paint	m			
08.9.24	7.0	R.C. : Primer is slightly lighter than the base in color.	// .	Next order with are	Ø924			
		than the base in color.	LOGIUIZ	Primer will be used.		108.09.25	Masimz	108.08.24
								:

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order: L	41716
Description: 206 Saddle, Outboard, Right side	Part Number:	D2932-2
Inspection Dwg: D2932 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

	·			Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		.131	198	128	124		
В	0.100	0.140		./31	.124	-130	./30		
С	0.100	0.140	<u> </u>	1.131	124	1127	.128		
D	0.210	0.230		192_	123	123	.223		
E	1.245	1.255		1.250	1.250	1.200	1,250		
F	1.245	1.255		1.250	1.250	1,250	1.250		
G	2.495	2.505		2.500	2.500	2-5-00	2,500		
Н	0.510	0.515		.2-10	.510	.570	1510		
-	1.572	1.582		1.581	1.579	1.578	1.578		
J	.2.495	2.505		2.498	2.500	2.500	2-500		
K	0.257	0.262		.259	,258	.258	.258		
L	0.312	0.317		.314	.314	,314	.314		, , , , , , , , , , , , , , , , , , ,
М	0.235	0.240		.238	.238	1238	.238		X
N	0.100	0.140		-110	.113	-113	J. (1)		
0	0.540	0.560	•	.553	,552	,550	1550		
Р	0.490	0.510		1495	141	.445	66.5°		
Q	3.715	3.725		2.719	3.719	3.719	3.720		
R	2.470	2.510		2.490	2.490	2.490	2490		
S	0.240	0.270		,260	.260	,260	.360		
Т	0.100	0.180		.140	1140	-140	OYIL		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.370	1.370	1.370	1.370		
W	0.316	0.321		, 321	.321	.321	.32/		
Χ	1.125	1.145		1.130	1.130	1130	1.175		
Υ	1.565	1.585		1.571	1.570	0577	1/575		
Z	0.178	0.198		.188	.188	188	188		
AA									
AB			<u> </u>						ļ
AC						ļ			
AD				·			ļ		
ΑE									
AF									
AG					· ·		<u> </u>	_	
АН			<u>.</u>				<u> </u>	_	
	Acc	ept/Reje	ct						

Measured by: $\mathcal{X} \stackrel{\mathcal{P}}{\leftarrow}$	Audited by J.L.,
Date: 08/09/11	Date: ○도 ○9 / /

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	1
С	07.03.21	Revised per drawing revision C	KJ/JLM	

